


(1435.5) LOT CORNER ELEVATIONS
 (5920) HOUSE NUMBER

Curve Table					
Curve	Length	Radius	Delta	Chord Distance	Chord Bearing
C1	48.75'	225.00'	12°24'46"	48.65'	S85°16'26"E
C2	48.75'	225.00'	12°24'46"	48.65'	S85°16'26"E
C3	42.25'	195.00'	12°24'46"	42.16'	S85°16'26"E
C4	55.24'	255.00'	12°24'46"	55.14'	S85°16'26"E
C5	42.25'	195.00'	12°24'46"	42.16'	S85°16'26"E
C6	55.24'	255.00'	12°24'46"	55.14'	S85°16'26"E

- ABBREVIATIONS
- MGE MINIMUM RECOMMENDED GROUND ELEVATION
 - SF SQUARE FEET
 - UE UTILITY EASEMENT
 - SFME SANITARY FORCE MAIN EASEMENT
 - ELE ELECTRIC LINE EASEMENT
 - GLE GAS LINE EASEMENT



FLOOD PLAIN NOTE

Lot 1 in Block 19 and Lots 1 to 3 in Block 20 are partly within a 100-foot buffer adjacent to a City jurisdictional flood plain (FRIC). House structures on these lots must meet City criteria for lowest floor and entry elevations related to the flood elevation if the house structure is within the buffer area.

BRIARWOOD ESTATES



605-336-6000
 www.ronningcompanies.com