



Curve Table					
Curve	Length	Radius	Delta	Chord Distance	Chord Bearing
C1	52.14'	400.00'	7°28'08"	52.10'	N84°38'00"E
C2	52.14'	400.00'	7°28'08"	52.10'	N84°38'00"E
C3	46.93'	360.00'	7°28'08"	46.89'	S84°38'00"W
C4	57.36'	440.00'	7°28'08"	57.32'	S84°38'00"W
C5	57.36'	440.00'	7°28'08"	57.32'	N84°38'00"E
C6	46.93'	360.00'	7°28'08"	46.89'	N84°38'00"E
C7	25.96'	1030.00'	1°26'39"	25.96'	S0°54'37"E
C8	145.37'	300.00'	27°45'52"	143.96'	S15°29'45"E
C9	33.86'	333.00'	5°49'33"	33.85'	S4°31'36"E
C10	58.60'	333.00'	10°04'55"	58.52'	S12°28'50"E
C11	57.91'	333.00'	9°57'49"	57.83'	S22°30'12"E
C12	11.00'	333.00'	1°53'35"	11.00'	S28°25'53"E
C13	62.50'	267.00'	13°24'44"	62.36'	S8°19'11"E
C14	66.88'	267.00'	14°21'08"	66.71'	S22°12'07"E

FLOOD PLAIN NOTE

Lots 6 to 15 in Block 24 are within a 100-foot buffer adjacent to a City jurisdictional flood plain (FRIC). House structures on these lots must meet City criteria for lowest floor and entry elevations related to the flood elevation.

- (1435.5) LOT CORNER ELEVATIONS
- (5920) HOUSE NUMBER
- ABBREVIATIONS**
- MGE MINIMUM RECOMMENDED GROUND ELEVATION
- SF SQUARE FEET
- UE UTILITY EASEMENT
- MAE MAINTENANCE ACCESS EASEMENT

BRIARWOOD ESTATES

RONNING
CUSTOM HOMES & NEIGHBORHOODS

605-336-6000
www.ronningcompanies.com